Do NOT take Vaccines!, sign a waiver and Do Not Take...

If vaccines have already been taken; the sooner the better to begin the reversal treatments.

Be sure to study out Vaccines are they safe and effective? If you can get ADTV they present some well documented research and other evidences on the validity and safety of Vaccines, that every one must know or suffer great loss.

- ★ **Triple Tincture** (or Echinacea tincture)1 tablespoon per dose 3-4 times a day; can use larger amounts like double for larger kids
- ★ Intestinal Detox #2 six times a day for two weeks, minimum (Can use charcoal in lace of #2 if none available)
- ★ **Fulvic Acid Minerals** for chelating toxins, and heavy metals. Can take 1 tablespoon full three times a day...be sure to spray Fulvic Acid over the injection site several times a day for two weeks minimum (Can Use Pink Himalayan Salt if no Fulvic available)
- ★ **Lobelia** taken that day ASAP or as soon as discovered. Take one dropper full every hour unless nausea is experienced then every 2-3 hours. If this is days down the road from administration of the vaccine then begin right away with lobelia 1-2 droppers full 4 times a day for 1 week
- ★ Black Super Draw over the injection site on the day of injection ASAP: if days down the road again, begin asap and wear this all night for two weeks; and for four hours every day for two weeks. (If no Black Super Draw, use charcoal)
- \star Hot/cold showers morning and evening. Dry Skin Brush for 10 minutes daily before showers
- ★ Bowel Cleanse and Liver Flush immediately ASAP: Begin the Intestinal Detox #2 ASAP.
- ★ **Diet considerations:** Absolutely NO SUGAR in any form. NO white flour products. No Fried anything nor any Milk or other dairy products. Eat at least 50% raw foods.
- ★ Do all of this for at least one month